

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec : Industrial
For professional use only

Use of the substance/mixture : Crystallizer substance of natural stone, marble or marble products, terrazzo, hydraulic mosaic, polished concrete, granite and artificial stones floors.

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

COOR & KLEEVER
Brusi, 102
08006 Barcelona - Spain
T +34 93 209 08 00 - F +34 93 209 89 82
coorkleever@coorkleever.com

1.4. Emergency telephone number

Emergency number : ChemTel Inc. 800-255-3924 / 24 hours

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute Tox. 4 (Oral) H302

Eye Dam. 1 H318

Full text of H-phrases: see section 16

Classification according to Directive 67/548/EEC or 1999/45/EC

T; R25

Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS05

GHS07

Signal word (CLP) : Danger

Hazardous ingredients : magnesium hexafluorosilicate

Hazard statements (CLP) : H302 - Harmful if swallowed
H318 - Causes serious eye damage

Precautionary statements (CLP) : P264 - Wash hands, forearms and face thoroughly after handling
P270 - Do not eat, drink or smoke when using this product
P280 - Wear eye protection, protective gloves
P301+P312 - IF SWALLOWED: Call a POISON CENTER if you feel unwell
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P501 - Dispose of contents/container to appropriate collection point.

2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

V-1 (White) / V-2 (Pink)

Safety Data Sheet

according to Regulation (EC) No. 453/2010

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

| Name | Product identifier | % | Classification according to Directive 67/548/EEC |
|------------------------------|--|---|--|
| magnesium hexafluorosilicate | (CAS No) 7782-41-4 (EC no) 231-954-8;231-945-8;231-978-9 (EC index no) 009-018-00-3 (REACH-no) 01-2119980031-47 | 15 - 20 | T; R25 |
| Name | Product identifier | Specific concentration limits | |
| magnesium hexafluorosilicate | (CAS No) 7782-41-4 (EC no) 231-954-8;231-945-8;231-978-9 (EC index no) 009-018-00-3 (REACH-no) 01-2119980031-47 | (1 =< C < 10) Xn;R22 (10 =< C) T;R25 | |
| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
| magnesium hexafluorosilicate | (CAS No) 7782-41-4 (EC no) 231-954-8;231-945-8;231-978-9 (EC index no) 009-018-00-3 (REACH-no) 01-2119980031-47 | 15 - 20 | Acute Tox. 3 (Oral), H301 Eye Dam. 1, H318 Aquatic Chronic 3, H412 |

Full text of R- and H-phrases: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

- First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
- First-aid measures after inhalation : Assure fresh air breathing. Allow the victim to rest.
- First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
- First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.
- First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a POISON CENTER/doctor/physician if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/injuries after eye contact : Causes serious eye damage.
- Symptoms/injuries after ingestion : Swallowing a small quantity of this material will result in serious health hazard.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

- Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.
- Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

- Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment.
- Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

V-1 (White) / V-2 (Pink)

Safety Data Sheet

according to Regulation (EC) No. 453/2010

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

6.4. Reference to other sections

See Heading 8. Exposure controls / Personal protection equipment.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Provide good ventilation in process area to prevent formation of vapour.

Hygiene measures : Do not eat, drink or smoke when using this product. Wash hands, forearms and face thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : acids and bases, Heat sources. Keep container closed when not in use.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

| magnesium hexafluorosilicate (7782-41-4) | | |
|--|---------------------------------|------------------------|
| EU | Local name | Fluorine |
| EU | IOELV TWA (mg/m ³) | 1,58 mg/m ³ |
| EU | IOELV TWA (ppm) | 1 ppm |
| EU | IOELV STEL (mg/m ³) | 3,16 mg/m ³ |
| EU | IOELV STEL (ppm) | 2 ppm |
| United Kingdom | Local name | Fluorine |
| United Kingdom | WEL TWA (mg/m ³) | 1,6 mg/m ³ |
| United Kingdom | WEL TWA (ppm) | 1 ppm |
| United Kingdom | WEL STEL (mg/m ³) | 1,6 mg/m ³ |
| United Kingdom | WEL STEL (ppm) | 1 ppm |

| magnesium hexafluorosilicate (7782-41-4) | |
|--|-----------------------|
| DNEL/DMEL (Workers) | |
| Acute - systemic effects, inhalation | 2,5 mg/m ³ |
| Long-term - systemic effects, inhalation | 2,5 mg/m ³ |
| Long-term - local effects, inhalation | 2,5 mg/m ³ |
| PNEC (Water) | |
| PNEC aqua (freshwater) | 0,9 mg/l |
| PNEC aqua (marine water) | 0,9 mg/l |
| PNEC (Soil) | |
| PNEC soil | 11 mg/kg dwt |
| PNEC (STP) | |
| PNEC sewage treatment plant | 51 mg/l |

V-1 (White) / V-2 (Pink)

Safety Data Sheet

according to Regulation (EC) No. 453/2010

8.2. Exposure controls

Personal protective equipment : Avoid all unnecessary exposure.



Hand protection : Wear protective gloves.

Eye protection : Chemical goggles or safety glasses.

Respiratory protection : Wear appropriate mask.

Other information : Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : According to product's reference.

Odour : Characteristic.

Odour threshold : No data available

pH : 2 - 3

Relative evaporation rate (butyl acetate=1) : No data available

Melting point : No data available

Freezing point : No data available

Boiling point : No data available

Flash point : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Flammability (solid, gas) : Not flammable.

Vapour pressure : No data available

Vapour density : No data available

Relative density : No data available

Solubility : No data available

Log Pow : No data available

Viscosity, kinematic : No data available

Viscosity, dynamic : No data available

Explosive properties : No data available

Oxidising properties : No data available

Explosive limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. **Reactivity** No additional information available

10.2. **Chemical stability**

Not established.

10.3. **Possibility of hazardous reactions**

Not established.

10.4. **Conditions to avoid**

Direct sunlight. Extremely high or low temperatures.

10.5. **Incompatible materials**

Strong acids. Strong bases.

10.6. **Hazardous decomposition products**

Fumes. Carbon monoxide. Carbon dioxide.

V-1 (White) / V-2 (Pink)

Safety Data Sheet

according to Regulation (EC) No. 453/2010

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Harmful if swallowed.

| V-1 (White) / V-2 (Pink) | |
|--------------------------|--------------------------|
| ATE CLP (oral) | 500,000 mg/kg bodyweight |

| magnesium hexafluorosilicate (7782-41-4) | |
|--|--------------------------|
| LD50 oral rat | 291 mg/kg bodyweight |
| LC50 inhalation rat (mg/l) | 3,9 g/m ³ |
| ATE CLP (oral) | 291,000 mg/kg bodyweight |
| ATE CLP (vapours) | 3,900 mg/l/4h |
| ATE CLP (dust,mist) | 3,900 mg/l/4h |

Skin corrosion/irritation : Not classified
pH: 2 - 3

Serious eye damage/irritation : Causes serious eye damage.
pH: 2 - 3

Respiratory or skin sensitisation : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Reproductive toxicity : Not classified

Specific target organ toxicity (single exposure) : Not classified

Specific target organ toxicity (repeated exposure) : Not classified

Aspiration hazard : Not classified

Potential Adverse human health effects and symptoms : Harmful if swallowed.

SECTION 12: Ecological information

12.1. Toxicity

| magnesium hexafluorosilicate (7782-41-4) | |
|--|-----------|
| LC50 fishes | 100 mg/l |
| EC50 Daphnia | 100 mg/l |
| ErC50 (algae) | 27,4 mg/l |

12.2. Persistence and degradability

| V-1 (White) / V-2 (Pink) | |
|-------------------------------|------------------|
| Persistence and degradability | Not established. |

12.3. Bioaccumulative potential

| V-1 (White) / V-2 (Pink) | |
|---------------------------|------------------|
| Bioaccumulative potential | Not established. |

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

| V-1 (White) / V-2 (Pink) | |
|--|--|
| This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII | |
| This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII | |

12.6. Other adverse effects

: Avoid release to the environment

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to ...

Ecology - waste materials : Avoid release to the environment.

V-1 (White) / V-2 (Pink)

Safety Data Sheet

according to Regulation (EC) No. 453/2010

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number No

dangerous good in sense of transport regulations

14.2. UN proper shipping name

Not applicable

14.3. Transport hazard class(es)

Not applicable

14.4. Packing group

Not applicable

14.5. Environmental hazards

Dangerous for the environment : No

Marine pollutant : No

Other information : No supplementary information available.

14.6. Special precautions for user

14.6.1. Overland transport

No additional information available

14.6.2. Transport by sea

No additional information available

14.6.3. Air transport

No additional information available

14.6.4. Inland waterway transport

No additional information available

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:

| | |
|--|--------------------------|
| 3. Liquid substances or mixtures which are regarded as dangerous in accordance with Directive 1999/45/EC or are fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008 | V-1 (White) / V-2 (Pink) |
|--|--------------------------|

Contains no REACH candidate substance

Seveso Information :

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

See Annex: Exposure Scenarios.

For the following substances of this mixture a chemical safety assessment has been carried out

magnesium hexafluorosilicate

SECTION 16: Other information

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information : None.

V-1 (White) / V-2 (Pink)

Safety Data Sheet

according to Regulation (EC) No. 453/2010

Full text of R-, H- and EUH-phrases:

| | |
|---------------------|---|
| Acute Tox. 3 (Oral) | Acute toxicity (oral), Category 3 |
| Acute Tox. 4 (Oral) | Acute toxicity (oral), Category 4 |
| Aquatic Chronic 3 | Hazardous to the aquatic environment — Chronic Hazard, Category 3 |
| Eye Dam. 1 | Serious eye damage/eye irritation, Category 1 |
| H301 | Toxic if swallowed |
| H302 | Harmful if swallowed |
| H318 | Causes serious eye damage |
| H412 | Harmful to aquatic life with long lasting effects |
| R25 | Toxic if swallowed |
| T | Toxic |

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

