

# STONEMEDIC MPC MARBLE POLISHING COMPOUND

### **SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : STONEMEDIC MPC MARBLE POLISHING COMPOUND

Other means of identification : not applicable

Recommended use : Floor care product

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : Product is sold ready to use.

Company : Ecolab Inc.

370 N. Wabasha Street

St. Paul, Minnesota USA 55102

1-800-352-5326

Emergency telephone : 1-800-328-0026 (US/Canada), 1-651-222-5352 (outside US)

Issuing date : 05/21/2014

### **SECTION 2. HAZARDS IDENTIFICATION**

#### **GHS Classification**

Corrosive to Metals : Category 1
Acute toxicity (Oral) : Category 4
Skin corrosion : Category 1A
Serious eye damage : Category 1

### **GHS Label element**

Hazard pictograms :





Signal Word : Danger

Hazard Statements : May be corrosive to metals.

Harmful if swallowed.

Causes severe skin burns and eye damage.

Precautionary Statements : Prevention:

Keep only in original container. Wash skin thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective

gloves/ protective clothing/ eye protection/ face protection.

Response:

IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. IF SWALLOWED: rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician. Wash contaminated clothing before reuse. Absorb spillage to prevent

material damage.

Storage:

911095

## STONEMEDIC MPC MARBLE POLISHING COMPOUND

Store locked up. Store in corrosive resistant stainless steel container with a resistant inliner.

Disposal:

Dispose of contents/ container to an approved waste disposal plant.

Other hazards : None known.

### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Pure substance/mixture : Mixture

Chemical NameCAS-No.Concentration (%)potassium hydrogen oxalate127-95-760 - 100

aluminium oxide 1344-28-1 10 - 30 fatty acids, vegetable-oil, compds. with 68783-56-2 5 - 10

ethanolamine

dipropylene glycol methyl ether 34590-94-8 1 - 5

### **SECTION 4. FIRST AID MEASURES**

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at

least 15 minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Get medical attention immediately.

In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Use

a mild soap if available. Apply calcium gluconate gel, if available, or milk of magnesia to affected area. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention

immediately.

If swallowed : Rinse mouth with water. Do NOT induce vomiting. Never give

anything by mouth to an unconscious person. If available, take several calcium antacid tablets (eg Tums) or several tablespoons of milk of

magnesia. Get medical attention immediately.

If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention if

symptoms occur.

Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific personal

protective equipment.

Notes to physician : Treat symptomatically.

See toxicological information (Section 11)

### **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Unsuitable extinguishing

media

: None known.

Specific hazards during fire

fighting

: Not flammable or combustible.

Hazardous combustion

products

: Carbon oxides

911095 2 / 8

## STONEMEDIC MPC MARBLE POLISHING COMPOUND

Special protective equipment

for fire-fighters

: Use personal protective equipment.

Specific extinguishing

methods

: Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire

and/or explosion do not breathe fumes.

### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures

listed in sections 7 and 8.

Environmental precautions : I

: Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up

: Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain

material to ensure runoff does not reach a waterway.

### **SECTION 7. HANDLING AND STORAGE**

Advice on safe handling : Do not ingest. Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. Do

not get in eyes, on skin, or on clothing. Wash hands thoroughly after

handling. Use only with adequate ventilation.

Conditions for safe storage : Keep out of reach of children. Keep container tightly closed. Store in

suitable labeled containers.

Storage temperature : 0 °C to 50 °C

### **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

### Ingredients with workplace control parameters

Ingredients	CAS-No.	Form of exposure	Permissible concentration	Basis
aluminium oxide	1344-28-1	TWA (Respirable fraction)	1 mg/m3	ACGIH
		TWA (Total dust)	15 mg/m3	OSHA Z1
		TWA (respirable fraction)	5 mg/m3	OSHA Z1
dipropylene glycol methyl ether	34590-94-8	TWA	100 ppm	ACGIH
		STEL	150 ppm	ACGIH
		STEL	150 ppm 900 mg/m3	NIOSH REL
		TWA	100 ppm 600 mg/m3	NIOSH REL
		TWA	100 ppm	OSHA Z1

911095 3 / 8

### STONEMEDIC MPC MARBLE POLISHING COMPOUND

600 mg/m3

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations

below occupational exposure standards.

Personal protective equipment

Eye protection : Safety goggles

Face-shield

Hand protection : Wear the following personal protective equipment:

Standard glove type.

Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

: Personal protective equipment comprising: suitable protective gloves, Skin protection

safety goggles and protective clothing

: When workers are facing concentrations above the exposure limit they Respiratory protection

must use appropriate certified respirators.

: Handle in accordance with good industrial hygiene and safety Hygiene measures

> practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes

and body in case of contact or splash hazard.

### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

**Appearance** : paste

Color opaque, amber

Odor citrus

рΗ : 1.5 - 2.5, 1 % Flash point : not applicable Odor Threshold : no data available Melting point/freezing point : no data available

Initial boiling point and

boiling range

: > 100 °C

Evaporation rate : no data available Flammability (solid, gas) : no data available Upper explosion limit no data available Lower explosion limit : no data available Vapor pressure no data available Relative vapor density : no data available

Relative density : 1.4 - 1.8

Water solubility : slightly soluble Solubility in other solvents : no data available Partition coefficient: n-

octanol/water

: no data available

Autoignition temperature : no data available

911095 4/8

## STONEMEDIC MPC MARBLE POLISHING COMPOUND

Thermal decomposition : no data available
Viscosity, kinematic : no data available
Explosive properties : no data available
Oxidizing properties : no data available
Molecular weight : no data available
VOC : no data available

### **SECTION 10. STABILITY AND REACTIVITY**

Chemical stability : Stable under normal conditions.

Possibility of hazardous

reactions

: No dangerous reaction known under conditions of normal use.

Conditions to avoid : None known.

Incompatible materials : Bases

Hazardous decomposition

products

: Carbon oxides

### **SECTION 11. TOXICOLOGICAL INFORMATION**

Information on likely routes of : Inhalation, Eye contact, Skin contact

exposure

**Potential Health Effects** 

Eyes : Causes serious eye damage.

Skin : Causes severe skin burns.

Ingestion : Harmful if swallowed. Causes digestive tract burns.

Inhalation : May cause nose, throat, and lung irritation.

Chronic Exposure : Health injuries are not known or expected under normal use.

### Experience with human exposure

Eye contact : Redness, Pain, Corrosion

Skin contact : Redness, Pain, Corrosion

Ingestion : Corrosion, Abdominal pain

Inhalation : Respiratory irritation, Cough

**Toxicity** 

Acute oral toxicity : Acute toxicity estimate : 599.98 mg/kg

Acute inhalation toxicity : 4 h Acute toxicity estimate : > 40 mg/l

Acute dermal toxicity : Acute toxicity estimate : 2,400 mg/kg

Skin corrosion/irritation : no data available

911095 5 / 8

## STONEMEDIC MPC MARBLE POLISHING COMPOUND

Serious eye damage/eye

irritation

: no data available

Respiratory or skin

sensitization

: no data available

Carcinogenicity : no data available

Reproductive effects : no data available

Germ cell mutagenicity : no data available

Teratogenicity : no data available

STOT-single exposure : no data available

STOT-repeated exposure : no data available

Aspiration toxicity : no data available

### **SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity** 

**Environmental Effects** : This product has no known ecotoxicological effects.

**Product** 

Toxicity to fish : no data available Toxicity to daphnia and other

aquatic invertebrates

: no data available

Toxicity to algae : no data available

Ingredients

Toxicity to fish : dipropylene glycol methyl ether

96 h LC50 Fish: > 1,000 mg/l

Ingredients

aquatic invertebrates

Toxicity to daphnia and other : potassium hydrogen oxalate 48 h LC50 Daphnia: 137 mg/l

### Persistence and degradability

no data available

### Bioaccumulative potential

no data available

#### Mobility in soil

no data available

#### Other adverse effects

no data available

## **SECTION 13. DISPOSAL CONSIDERATIONS**

Disposal methods : Where possible recycling is preferred to disposal or incineration. If

> recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to

911095 6/8

## STONEMEDIC MPC MARBLE POLISHING COMPOUND

an approved waste handling site for recycling or disposal. Do not reuse empty containers.

RCRA - Resource : D002 (Corrosive)

Conservation and Recovery Authorization Act Hazardous

waste

#### **SECTION 14. TRANSPORT INFORMATION**

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

### Land transport (DOT)

Not dangerous goods

### Sea transport (IMDG/IMO)

Not dangerous goods

### **SECTION 15. REGULATORY INFORMATION**

### **EPCRA - Emergency Planning and Community Right-to-Know**

### **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Acute Health Hazard

SARA 302 : SARA 302: No chemicals in this material are subject to the reporting

requirements of SARA Title III, Section 302.

SARA 313 : The following components are subject to reporting levels established

by SARA Title III, Section 313:

aluminium oxide 1344-28-1 23.4381 %

## California Prop 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

#### The ingredients of this product are reported in the following inventories:

### 1907/2006 (EU):

not determined

### Switzerland. New notified substances and declared preparations :

On the inventory, or in compliance with the inventory

#### **United States TSCA Inventory:**

On TSCA Inventory

### Canadian Domestic Substances List (DSL):

All components of this product are on the Canadian DSL.

911095 7/8

## STONEMEDIC MPC MARBLE POLISHING COMPOUND

#### Australia Inventory of Chemical Substances (AICS):

not determined

### New Zealand. Inventory of Chemical Substances:

not determined

### Japan. ENCS - Existing and New Chemical Substances Inventory:

not determined

### Japan. ISHL - Inventory of Chemical Substances (METI):

not determined

### Korea. Korean Existing Chemicals Inventory (KECI):

On the inventory, or in compliance with the inventory

### Philippines Inventory of Chemicals and Chemical Substances (PICCS):


On the inventory, or in compliance with the inventory

### China. Inventory of Existing Chemical Substances in China (IECSC):

On the inventory, or in compliance with the inventory

### **SECTION 16. OTHER INFORMATION**

#### NFPA:



### HMIS III:

HEALTH	3
FLAMMABILITY	0
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,

2 = Moderate, 3 = High 4 = Extreme, \* = Chronic

Issuing date : 05/21/2014

Version : 1.0

Prepared by : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

911095 8/8